



DIVEPRO is a leading global designer and manufacturer specializing in underwater lights. We are committed to providing high quality, safe and functional diving lights through our experience, knowledge and partnerships with professional divers, underwater photographers and videographers.

Our product range includes handheld diving torches, primary canister lights, video lights and accessories. Whether you are a recreational diver taking your first steps or a professional videographer, DIVEPRO has a light for you

• **DIVING TORCHES**

- 4200 LM • S40
- 2600 LM • S26
- 2650 LM • S20
- 170 LM • S17U
- 1000 LM • S10
- 220 LM • D1

• **UNDERWATER PHOTO/ VIDEO LIGHTS**

- 18000 LM • G18 Plus
- 15000 LM • G15 Plus, WV150 Pro+
- 12000 LM • G12 Plus
- 8000 LM • Master, D80F
- 4200 LM • D40F
- 3500 LM • M35
- 2700 LM • M27
- 1050 LM • D6F, D11F

• **SNOOT LIGHTS**

- 1150 LM • MP10
- 210000 LUX • MP30


• **CANISTER LIGHTS**

- 4200 LM • CL4200S, CL4200B

• **ACCESSORIES**

BATTERY INDICATOR

A circular light around the ON/OFF button



DIVING TORCHES

S40



4,890 PRICE thb

A • 156 mm
B • 54 mm
C • 33 mm

FEATURE

4200 Lumen	3 Levels White	SOS	100 Waterproof (metres) IPX8	9° SPOT UNDERWATER Beam Angle	8 Charging (hours)	4 MM GLASS Lens	1*CREE XHP70.2 LED	350 in air LED 150 underwater	Weight with battery (grams)	1*26650 Power Battery	50 Runtime (mins)
------------	----------------	-----	------------------------------	-------------------------------	--------------------	-----------------	--------------------	-------------------------------	-----------------------------	-----------------------	-------------------

PACKING LISTS



COLOR TEMPERATURE	Cold White 6500K
OUTPUT	High 4200 LM • Mid 2100 LM • Low 420 LM
RUNTIME	High 50 mins • Mid 100 mins • Low 300 mins (Tested with 26650 5000 mAh battery)
LEVELS	High-Mid-Low. Double Press (SOS)
SURFACE FINISH	Aluminium alloy with hard-anodizing
BODY COLOR	Black
SWITCH	316 Waterproof button
BODY MATERIAL	Durable aircraft-grade Aluminium
SURFACE TREATMENT	Premium Type III hard-anodizing

S26



3,990 PRICE thb

A • 156 mm
B • 47 mm
C • 29 mm

FEATURE

2600 Lumen	3 Levels White	SOS	100 Waterproof (metres) IPX8	6° SPOT UNDERWATER Beam Angle	8 Charging (hours)	4 MM GLASS Lens	1*CREE XHP50.2 LED	285 in air LED 140 underwater	Weight with battery (grams)	1*21700 Power Battery	65 Runtime (mins)
------------	----------------	-----	------------------------------	-------------------------------	--------------------	-----------------	--------------------	-------------------------------	-----------------------------	-----------------------	-------------------

PACKING LISTS



COLOR TEMPERATURE	Cold White 6500K
OUTPUT	High 2600 LM • Mid 1130 LM • Low 110 LM
RUNTIME	High 65 mins • Mid 150 mins • Low 1500 mins (Tested with 21700 5000 mAh battery)
LEVELS	High-Mid-Low. Double Press (SOS)
SURFACE FINISH	Aluminium alloy with hard-anodizing
BODY COLOR	Black
SWITCH	316 Waterproof button
BODY MATERIAL	Durable aircraft-grade Aluminium
SURFACE TREATMENT	Premium Type III hard-anodizing

S20



4,490 PRICE thb

A • 226 mm
B • 54 mm
C • 32 mm

FEATURE

2650 Lumen	2 Levels White	SOS	100 Waterproof (metres) IPX8	8° SPOT UNDERWATER Beam Angle	8 Charging (hours)	5 MM GLASS Lens	1*CREE XHP50.2 LED	550 in air LED 260 underwater	Weight with battery (grams)	2*26650 Power Battery	150 Runtime (mins)
------------	----------------	-----	------------------------------	-------------------------------	--------------------	-----------------	--------------------	-------------------------------	-----------------------------	-----------------------	--------------------

PACKING LISTS



COLOR TEMPERATURE	Cold White 6500K
OUTPUT	High 2650 LM • Mid 1300 LM
RUNTIME	High 150 mins • Mid 300 mins
LEVELS	High-Mid Double Press (SOS)
SURFACE FINISH	Aluminium alloy with hard-anodizing
BODY COLOR	Black
SWITCH	316 Waterproof button
BODY MATERIAL	Durable aircraft-grade Aluminium
SURFACE TREATMENT	Premium Type III hard-anodizing

DIVING TORCHES

S17U



4,290 PRICE thb

A • 166 mm
B • 43.6 mm
C • 35 mm



USB RECHARGEABLE BATTERY

PACKING LISTS



- COLOR TEMPERATURE** Cold White 6500K
- OUTPUT** High 1700 LM • Mid 850 LM • Low 85 LM
- RUNTIME** High 120 Mins • Mid 240 Mins • Low 2400 Mins
- LEVELS** High-Mid-Low Double Press (SOS)
- BODY COLOR** Black
- SWITCH** 316 Waterproof button
- SURFACE TREATMENT** Premium Type III hard-anodizing

FEATURE

1700 Lumen		3 Levels White		100 Waterproof (metres) IPX8	6° SPOT UNDERWATER Beam Angle	6 Charging (hours)	COATED TEMPERED GLASS Lens	1* CREE XHP35 LED	355 in air 170 underwater	Weight with battery (grams)	1* 3.7V 6800MAH 26800 Power Battery		120 Runtime (mins)
----------------------	--	-----------------------------	--	---	---	---------------------------------	---	-----------------------------	--	--	---	--	---------------------------------

S10



AVAILABLE
IN 4 COLORS
Red Silver
Black Blue

PACKING LISTS



1,990 PRICE thb

A • 130.7 mm
B • 28.7 mm
C • 27.2 mm



- COLOR TEMPERATURE** Cold White 6500K
- OUTPUT** High 1000 LM • Mid 500 LM • Low 100 LM
- RUNTIME** High 90 mins • Mid 180 mins • Low 900 mins (Tested with 18650 2600 mAh battery)
- LEVELS** High-Mid-Low. Double Press (SOS)
- SURFACE FINISH** Aluminium alloy with hard-anodizing
- BODY COLOR** Black/Blue/Red/Silver
- SWITCH** 316 SS push button
- BODY MATERIAL** Durable aircraft-grade Aluminium

FEATURE

1000 Lumen		3 Levels White		100 Waterproof (metres) IPX8	6° SPOT UNDERWATER Beam Angle	8 Charging (hours)	4 MM GLASS Lens		1* CREE XP-L LED	169 in air 75 underwater	Weight with battery (grams)	1* 18650 Power Battery		90 Runtime (mins)
----------------------	--	-----------------------------	--	---	---	---------------------------------	--------------------------------	--	----------------------------	---	--	----------------------------------	--	--------------------------------

D1



1,290 PRICE thb

A • 98 mm
B • 22 mm
C • 21 mm



PACKING LISTS




- COLOR TEMPERATURE** Cold White 6500K
- REFLECTOR** Glossy aluminium reflector
- BODY MATERIAL** Durable aircraft-grade Aluminium
- SURFACE FINISH** Aluminium alloy with hard-anodizing
- BODY COLOR** Black

FEATURE

220 Lumen	60 Waterproof (metres) IPX8	1* CREE XPG2 LED	53 in air 26 underwater	Weight with battery (grams)	AA Power Battery		480 Runtime (mins)
---------------------	--	----------------------------	--	--	----------------------------	--	---------------------------------

UNDERWATER PHOTO & VIDEO LIGHTS



G18 PLUS



25,900 PRICE thb

A • 189 mm
B • 65 mm
C • 51 mm



FEATURE

18000 Lumen	2 Levels White	100 Waterproof (metres) IPX8	140° in air Beam Angle	95° underwater	3 Charging (hours)	PC Lens	CRI RA92	CREE CXB3590 LED	860 in air	420 underwater	Weight with battery (grams)	8*18650 6800MAH Battery Pack	52 Runtime (mins)
-------------	----------------	------------------------------	------------------------	----------------	--------------------	---------	----------	------------------	------------	----------------	-----------------------------	------------------------------	-------------------

PACKING LISTS



COLOR TEMPERATURE	5000K
OUTPUT	High 18000 LM • Mid 9000 LM
RUNTIME	High 52 mins • Mid 105 mins
SETTINGS	Short press : High-Mid, Double Press : Stepless dimming with memory function Triple Press : Quick Flash/SOS
BODY COLOR	Black
SWITCH	Waterproof Push Button
BODY MATERIAL	Durable aircraft-grade Aluminium
SURFACE TREATMENT	Premium Type III hard-anodizing

WV15 PRO+



25,900 PRICE thb

A • 217 mm
B • 65 mm
C • 55 mm



FEATURE

15000 Lumen	2 Levels White	100 Waterproof (metres) IPX8	170° in air Beam Angle	160° underwater	4 Charging (hours)	OPTICAL Lens	CRI RA98	CREE CMA2550 LED	990 in air	420 underwater	Weight with battery (grams)	8*18650 6800MAH Battery Pack	55 Runtime (mins)
-------------	----------------	------------------------------	------------------------	-----------------	--------------------	--------------	----------	------------------	------------	----------------	-----------------------------	------------------------------	-------------------

PACKING LISTS



COLOR TEMPERATURE	4000K
OUTPUT	High 15000 LM • Mid 7500 LM
RUNTIME	High 55 mins • Mid 110 mins
SETTINGS	Short press : High-Mid, Double Press : Stepless dimming with memory function Triple Press : Quick Flash/SOS
BODY COLOR	Black
SWITCH	Waterproof Push Button
BODY MATERIAL	Durable aircraft-grade Aluminium
SURFACE TREATMENT	Premium Type III hard-anodizing

G15 PLUS



23,900 PRICE thb

A • 189 mm
B • 65 mm
C • 51 mm



FEATURE


15000 Lumen	2 Levels White	100 Waterproof (metres) IPX8	140° in air Beam Angle	95° underwater	3 Charging (hours)	PC Lens	CRI RA98	CREE CMA2550 LED	990 in air	420 underwater	Weight with battery (grams)	8*18650 6800MAH Battery Pack	55 Runtime (mins)
-------------	----------------	------------------------------	------------------------	----------------	--------------------	---------	----------	------------------	------------	----------------	-----------------------------	------------------------------	-------------------

PACKING LISTS



COLOR TEMPERATURE	4000K
OUTPUT	High 15000 LM • Mid 7500 LM
RUNTIME	High 55 mins • Mid 110 mins
SETTINGS	Short press : High-Mid, Double Press : Stepless dimming with memory function Triple Press : Quick Flash/SOS
BODY COLOR	Black
SWITCH	Waterproof Push Button
BODY MATERIAL	Durable aircraft-grade Aluminium
SURFACE TREATMENT	Premium Type III hard-anodizing

UNDERWATER PHOTO & VIDEO LIGHTS



PACKING LISTS



G12 PLUS



19,900 PRICE thb



- COLOR TEMPERATURE** 5000K
- OUTPUT** High 12000 LM • Mid 6000 LM
- RUNTIME** High 80 mins • Mid 160 mins
- SETTINGS** **Short press** : High-Mid, **Double Press** : Stepless dimming with memory function
Triple Press : Quick Flash/SOS
- BODY COLOR** Black
- SWITCH** 316 Waterproof button
- BODY MATERIAL** Durable aircraft-grade Aluminium
- SURFACE TREATMENT** Premium Type III hard-anodizing

FEATURE

12000 Lumen	2 Levels White	SOS	100 Waterproof (metres) IPX8	140° in air Beam Angle 95° underwater	3 Charging (hours)	4 mm PC Lens	CRI RA92	CREE CXB3050 LED	860 in air 420 underwater	Weight with battery (grams)	8*18650 6800MAH Battery Pack	80 Runtime (mins)
-------------	----------------	-----	------------------------------	--	--------------------	--------------	----------	------------------	------------------------------	-----------------------------	------------------------------	-------------------

PACKING LISTS



MASTER



13,900 PRICE thb



- COLOR TEMPERATURE** 5000K
- OUTPUT** High 8000 LM • Mid 4000 LM
- RUNTIME** High 80 mins • Mid 100 mins
- SETTINGS** **Short press** : High-Mid, **Double Press** : Stepless dimming with memory function
Triple Press : Quick Flash/SOS
- BODY COLOR** Black
- SWITCH** 316 Waterproof button
- BODY MATERIAL** Durable aircraft-grade Aluminium
- SURFACE TREATMENT** Premium Type III hard-anodizing

FEATURE

8000 Lumen	2 Levels White	SOS	100 Waterproof (metres) IPX8	140° in air Beam Angle 95° underwater	1.5 Charging (hours)	4 mm PC Lens	CRI RA95	CREE CXB2530 LED	575 in air 280 underwater	Weight with battery (grams)	4*18650 3400MAH Battery Pack	80 Runtime (mins)
------------	----------------	-----	------------------------------	--	----------------------	--------------	----------	------------------	------------------------------	-----------------------------	------------------------------	-------------------

PACKING LISTS



D80F



11,900 PRICE thb




- LED** 4*CREE XM-L2 Yellow light 4*CREE XM-L2 White light
4*XPE Red light 4* 365nm UV light
- LUMEN** Yellow light 4000 lumen, White light 4800 lumen, Warm light (Yellow+white light together 8000 lumen), Red light 480 LM
- RUNTIME** 8000 LM : 55mins/4000 LM : 110mins
- COLOR TEMPERATURE** 5000K
- FLASH MODELS** **Short Press**: White-Yellow- (White+Yellow) - Red - UV -off
Press and hold the button in any lighting modes to stepless
- BODY COLOR** Black
- SWITCH** 316 Waterproof Button
- BODY MATERIAL** Durable aircraft-grade Aluminium
- SURFACE TREATMENT** Premium Type III hard-anodizing

FEATURE

8000 Lumen	WHITE - 4800 LM	WARM - 8000 LM	100 Waterproof (metres) IPX8	145° in air Beam Angle 98° underwater	1.5 Charging (hours)	CRI RA80	560 in air 240 underwater	Weight with battery (grams)	4*18650 3400MAH Battery Pack	55 Runtime (mins)
------------	-----------------	----------------	------------------------------	--	----------------------	----------	------------------------------	-----------------------------	------------------------------	-------------------

UNDERWATER PHOTO & VIDEO LIGHTS

D40F



FEATURE


4200 Lumen	3 Levels White SOS	100 Waterproof (metres) IPX8	140° in air Beam Angle 100° underwater	8 Charging (hours)	4 MM GLASS Lens	1*CREE XHP70.2 LED	290 in air 160 underwater	Weight with battery (grams) Only support by 26650 power	1*26650 Battery	50 Runtime (mins)
------------	--------------------	------------------------------	---	--------------------	-----------------	--------------------	------------------------------	--	-----------------	-------------------

PACKING LISTS



COLOR TEMPERATURE	Warm White 5000K
OUTPUT	High 4200 LM • Mid 2100 LM • Low 420 LM
RUNTIME	High 50 mins • Mid 100 mins • Low 300 mins
LEVELS	High-Mid-Low.Double Press (SOS)
BODY COLOR	Black
SWITCH	316 Waterproof Button
BODY MATERIAL	Durable aircraft-grade Aluminium
SURFACE TREATMENT	Premium Type III hard-anodizing

M35



FEATURE


3500 Lumen	1 Levels White 1 Levels Red 1 Levels Blue	100 Waterproof (metres) IPX8	Beam Angle 145° in air 90° underwater	Spot 7° in air 90° underwater	6 Charging (hours)	4 mm Tempered Glass Lens	CRI RA90	400 in air 210 underwater	Weight with battery (grams)	1*26800 6800MAH Power Battery	65 Runtime (mins)
------------	---	------------------------------	---	-------------------------------------	--------------------	--------------------------	----------	------------------------------	-----------------------------	-------------------------------	-------------------

PACKING LISTS



FEATURE	Multi-color and Multi-function, Spot & Wide Beam Angles Built-in Copper Conductive Tube with Higher Performance
LED	1*CREE XHP70.2, 1*CREE XHP35, 4*XPE Red, 4*XPE Blue, 4*UV365
OUTPUT	3500, 2400, 1600 LM, 1000 LM, 800 LM, 800 LM
RUNTIME	65/105/155 mins, 180 mins, 150 mins, 120 mins, 110 mins
BODY COLOR	Black
SWITCH	36 Waterproof Button
BODY MATERIAL	Durable aircraft-grade Aluminium
SURFACE TREATMENT	Premium Type III hard-anodizing

M27



FEATURE


2700 Lumen	1 Levels White 1 Levels Red 1 Levels Blue	100 Waterproof (metres) IPX8	Beam Angle 140° in air 100° underwater	Spot 6°	6 Charging (hours)	CREE XPG3*3+ XPE RED*2 +ZZ XPL*1 LED	360 in air 160 underwater	Weight with battery (grams)	1*3.7V 26650 Power Battery	105 Runtime (mins)
------------	---	------------------------------	--	------------	--------------------	--------------------------------------	------------------------------	-----------------------------	----------------------------	--------------------

PACKING LISTS



FEATURE	Compact Multi-color and Multi-Function Diving Lights
COLOR TEMPERATURE	6000K
OUTPUT	Wide Beam 2700LM / Spot Beam 1150 LM / Red light 400LM
RUNTIME	2700LM 105mis / 1000LM 240mins
BODY COLOR	Black
SWITCH	Waterproof Push Button
BODY MATERIAL	Durable aircraft-grade Aluminium
SURFACE TREATMENT	Premium Type III hard-anodizing

UNDERWATER PHOTO & VIDEO LIGHTS



PACKING LISTS



D6F



2,390 PRICE thb



- COLOR TEMPERATURE** Warm White 5000K
- OUTPUT** High 1050 LM • Mid 500 LM
- RUNTIME** High 240 mins • Mid 500 mins
- SETTINGS** High-Mid-SOS
- SURFACE FINISH** Aluminium alloy with hard-anodizing
- BODY COLOR** Black
- SWITCH** 316 Waterproof button
- BODY MATERIAL** Durable aircraft-grade Aluminium
- SURFACE TREATMENT** Premium Type III hard-anodizing

FEATURE

1050 Lumen	1 Levels White	SOS	100 Waterproof (metres) IPX8	140° in air Beam Angle 100° underwater	8 Charging (hours)	4 mm PC Lens	1* CREE XM-L2	285 in air LED 115 underwater	Weight without battery (grams)	1* 26650 LITHIUM ION Battery	240 Runtime (mins)
----------------------	----------------	-----	---------------------------------	---	-----------------------	--------------	---------------	----------------------------------	--------------------------------	------------------------------	-----------------------

PACKING LISTS



D11F



2,890 PRICE thb



- COLOR TEMPERATURE** Warm White 5000K
- OUTPUT** High 1150 LM
- RUNTIME** High 110 mins • Mid 220 mins
- SETTINGS** High-Mid-SOS
- SURFACE FINISH** Aluminium alloy with hard-anodizing
- BODY COLOR** Black
- SWITCH** 316 Waterproof button
- BODY MATERIAL** Durable aircraft-grade Aluminium
- SURFACE TREATMENT** Premium Type III hard-anodizing

FEATURE


1150 Lumen	1 Levels White	SOS	100 Waterproof (metres) IPX8	140° in air Beam Angle 95° underwater	8 Charging (hours)	4 mm PC Lens	1* CREE XM-L2	285 in air LED 115 underwater	Weight without battery (grams)	1* 18650 LITHIUM ION Battery	240 Runtime (mins)
----------------------	----------------	-----	---------------------------------	--	-----------------------	--------------	---------------	----------------------------------	--------------------------------	------------------------------	-----------------------

SNOOT LIGHTS


PACKING LISTS



MP10



4,480 PRICE thb



- COLOR TEMPERATURE** Warm White light 5000K
- OUTPUT** High 1150 LM • Mid 550 LM
- RUNTIME** High 110 mins • Mid 220 mins
- SETTING** **Short Press:** High-Mid, **Double Press:** Stepless dimming with memory function, **Triple Press:** Quick Flash / SOS
- LEVELS** High-Mid-Low.Double Press (SOS)
- SURFACE FINISH** Aluminium alloy with hard-anodizing
- BODY COLOR** Black
- SWITCH** 316 Waterproof Button
- BODY MATERIAL** Durable aircraft-grade Aluminium
- SURFACE TREATMENT** Premium Type III hard-anodizing


FEATURE

1150 Lumen	2 Levels White SOS	100 Waterproof (metres) IPX8	80° in air 3° Spot underwater	Beam Angle	8 Charging (hours)	CR1A80	OPTICAL Lens	1*CREE XP-L V6 LED	145 in air 98 underwater	Weight with battery (grams)	1*18650 RECHARGEABLE LI-ION Battery	110 Runtime (mins)
------------	--------------------	------------------------------	-------------------------------	------------	--------------------	--------	--------------	--------------------	--------------------------	-----------------------------	-------------------------------------	--------------------



MP30

5,490 PRICE thb



- OUTPUT** High 210000 Lux • Mid 100000 Lux • Low 15000 Lux
- RUNTIME** High 110 mins • Mid 230 mins • Low 1540 mins
- LEVELS** High-Mid-Low.Double Press (SOS)
- SURFACE FINISH** Type III hard Anodizing
- BODY COLOR** Black
- SWITCH** 316 Stainless steel waterproof push button
- BODY MATERIAL** Durable aircraft-grade Aluminium
- SURFACE TREATMENT** Premium Type III hard-anodizing

PACKING LISTS



FEATURE

210000 Lux	3 Levels White SOS	100 Waterproof (metres) IPX8	-5° Spot underwater	Beam Angle	8 Charging (hours)	4 mm GLASS Lens	242 in air 120 underwater	Weight with battery (grams)	1*18650 DIVEPRO 3400MAH RECHARGEABLE LI-ION Battery	110 Runtime (mins)
------------	--------------------	------------------------------	---------------------	------------	--------------------	-----------------	---------------------------	-----------------------------	---	--------------------


CANISTER LIGHTS

PACKING LISTS



CL 4200S

CL4200S SIDEMOUNT CABLE
17,900 PRICE thb



- COLOR TEMPERATURE** Cold white light 5000k
- OUTPUT** High 4200 LM • Mid 2000 LM
- RUNTIME** High 210 mins • Mid 400 mins
- SETTING** **Short Press:** High-Mid, **Double Press:** Stepless dimming with memory function, **Triple Press:** Quick Flash / SOS
- BODY MATERIAL** Durable aircraft-grade Aluminium
- SURFACE FINISH** Aluminium alloy with hard-anodizing
- SWITCH** 316 Stainless steel push button

FEATURE


4200 Lumen	180° Adjustable cable	2 Levels White SOS	100 Waterproof (metres) IPX8	60° in air 6° Spot underwater	Beam Angle	3 Charging (hours)	4 mm Glass Lens	1*CREE XHP70.2 LED	8*18650 14.4V 6800MAH Battery Pack	210 Runtime (mins)
------------	-----------------------	--------------------	------------------------------	-------------------------------	------------	--------------------	-----------------	--------------------	------------------------------------	--------------------

ACCESSORIES

CARBON FIBER FLOATING BALL ARM

60 mm


- 8" • 1,690 PRICE THB
- 10" • 2,590 PRICE THB
- 12" • 3,590 PRICE THB
- 15" • 4,990 PRICE THB
- 20" • 5,990 PRICE THB



20" 830 g
15" 580 g
12" 430 g
10" 330 g
8" 230 g

80 mm

- 8" • 2,390 PRICE THB
- 10" • 3,290 PRICE THB
- 12" • 4,190 PRICE THB
- 15" • 5,690 PRICE THB
- 20" • 7,190 PRICE THB



20" 1600 g
15" 1100 g
12" 800 g
10" 600 g
8" 400 g



BALL JOINT BRACKET

- 24 mm • 590 PRICE THB
- 33 mm • 650 PRICE THB
- 51 mm • 790 PRICE THB
- 55 mm • 990 PRICE THB

DOUBLE BALL ARM



- 6" • 990 PRICE THB
- 8" • 1,390 PRICE THB
- 10" • 1,590 PRICE THB



18650 3400MAH
Power Battery
for S10, MP10
640 PRICE THB



26650 5000MAH
Power Battery
for S40, D6F, D40F
730 PRICE THB



26800 6800MAH
Power Battery
for M35
890 PRICE THB



21700 5000MAH
Power Battery
for S26
730 PRICE THB



3400 MAH
Power Battery for D80F, D90F,
Master & G Series
4,900 PRICE THB



2 HOLE CLAMP
790 PRICE THB



3 HOLE BUTTERFLY CLAMP
1,090 PRICE THB



2 HOLE BUTTERFLY CLAMP LONG
With Shackle
1,290 PRICE THB



YS MOUNT CLAMP
690 PRICE THB



HOT SHOE BALL MOUNT
990 PRICE THB



AMBIENT LIGHT FILTER
for underwater video light
3,300 PRICE THB



QUICK RELEASE DIVE GLOVE
890 PRICE THB



SCREW
45 PRICE THB



HANDS-FREE DIVE TORCH HOLDER
590 PRICE THB



CAMERA HANDLE
1,790 PRICE THB



CAMERA TRAY
4,590 PRICE THB